



# --- & --- INSERTS

DIRECT VENT GAS FIREPLACE INSERTS

---

HEAT & GLO®



# GAS INSERTS

**INSPIRED INNOVATION.** You don't have to sacrifice the warmth and glow of a wood burning fireplace for the simplicity and ease of gas. No more drafty, dated fireplaces with messy maintenance, soot and smoke.

Heat & Glo gas inserts fit directly inside an existing wood fireplace. Warm up to greater performance, safety and convenience. Sit back, relax and enjoy the view.

FIRE MADE  
EASY

ESCAPE-130 FIREBRICK shown with Chateau Forge front



#### WARMING COMFORT

Escape inserts start with a seamless FireBrick® interior that is hand-painted by skilled artisans to stay beautiful over time. Pair this with anti-reflective glass and ClearVue™ screen for an unobstructed view of the fire.



#### BEAUTY

Designed to match your home, Grand and Supreme inserts will transform your room from underused to unbelievable in as little as a day. With many styles and multiple sizes to choose from.



#### NEXT LEVEL

Or go modern. A ribbon of flame and glistening glass interior take your fireplace transformation to the next level.

## NO MESS. NO HASSLE.

#### GAS INSERTS: AN INSTANT UPGRADE

Heat & Glo gas inserts provide an instant upgrade to any hearth, designed to fit directly into an existing wood-burning fireplace. Inserts instantly transform your drafty, dated fireplace into an easy, efficient and reliable heat source.

BEFORE




AFTER



#### PATENTED FIREBRICK TECHNOLOGY

Available on Escape inserts, FireBrick is an energy-saving, seamless ceramic material molded in an authentic masonry design. FireBrick produces up to 25% more radiant heat than a metal interior—heating rooms faster and using less fuel.

This exclusive ceramic material is molded into three distinct layers—providing strength, texture and amplifying heat output.







ESCAPE 35 FIREBRICK shown with Iron Age front in black



ESCAPE 35 FIREBRICK shown with Halston front in new bronze



GRAND-i35 shown with Folio front in black and optional brick interior panels



COSMO-i35 shown with Halo front in black and ceramic fiber stones

## A NEW FIREPLACE IN 3 EASY STEPS

- 1) Choose your insert model
  - 2) Select your front, surround and finishing options
  - 3) Let your authorized retailer handle the installation
- 

### STEP 1 SELECT YOUR INSERT MODEL

Selecting an insert consists of two main factors. First, consider the size of your existing fireplace opening. Try and fill that space. Then, consider how your insert will be used. Room size, heating needs and usage frequency all come into play.



#### ESCAPE-I35 FIREBRICK

- 35" viewing area
- Ideal size for larger fireplaces
- Up to 40,000 BTUs
- 6 oak-style logs
- Anti-reflective glass
- ClearVue screen
- Patented FireBrick seamless interior
- IntelliFire™ Touch ignition system
- IntelliFire Touch remote control
- Illuminated ember bed
- Standard blower



#### ESCAPE-I30 FIREBRICK

- 30" viewing area
- Ideal size for smaller fireplaces
- Up to 36,000 BTUs
- 6 oak-style logs
- Anti-reflective glass
- ClearVue screen
- Patented FireBrick seamless interior
- IntelliFire Touch ignition system
- IntelliFire Touch remote control
- Illuminated ember bed
- Standard blower



#### GRAND-I35

- 35" viewing area
- Ideal size for larger fireplaces
- Up to 35,000 BTUs
- 7 oak-style logs
- Glowing embers
- Optional brick interior
- IntelliFire Plus ignition system
- Optional remote



#### SUPREME-I30

- 30" viewing area
- Ideal size for smaller fireplaces
- Up to 32,000 BTUs
- 6 oak-style logs
- Glowing embers
- Optional brick interior
- IntelliFire Plus ignition system
- Optional remote



#### COSMO-I35

- 35" viewing area
- Ideal size for larger fireplaces
- Up to 28,000 BTUs
- Customize with glass media or ceramic stones
- IntelliFire Plus ignition system
- Optional remote



#### COSMO-I30


- 30" viewing area
- Ideal size for smaller fireplaces
- Up to 23,000 BTUs
- Customize with glass media or ceramic stones
- IntelliFire Plus ignition system
- Optional remote

## STEP 2 SELECT YOUR FRONT, SURROUND AND FINISHING OPTIONS

### SURROUNDS

Surrounds remove the gap between the insert and existing fireplace opening. Three sizes and three colors—black, graphite and new bronze—help accent your décor.

SURROUND	ESCAPE-I35, GRAND-I35, COSMO-I35	ESCAPE-I30, SUPREME-I30, COSMO-I30
	Small	Medium
Small	42" x 29"	40" x 27"
Medium	44" x 32"	42" x 30"
Large	48" x 32"	44" x 32"



- SMALL SURROUND
- MEDIUM SURROUND
- LARGE SURROUND

### FRONTS AND FINISHING OPTIONS

Make it your own. Select a front and termination cap to complete your dramatic look.

#### ESCAPE FRONT OPTIONS



##### CHATEAU FORGE

Available for Escape inserts in hand-crafted, hammered steel.



##### GALLERIA

Available for Escape inserts in black, new bronze or graphite.



##### IRON AGE

Available for Escape inserts in black, new bronze or graphite.



##### HALSTON

Available for Escape inserts in black, new bronze or graphite.



##### FIRESCREEN

Available for Escape inserts in black, new bronze or graphite.



HAMMERED  
STEEL

#### FINISHES

BLACK

NEW  
BRONZE

GRAPHITE

#### GRAND, SUPREME & COSMO FRONT OPTIONS




##### CHATEAU

Available for Grand, Supreme or COSMO inserts in black, new bronze or graphite.




##### ARCADIA

Available for Grand, Supreme or COSMO inserts in black, new bronze or graphite.



##### HALSTON

Available for Grand, Supreme or COSMO inserts in black, new bronze or graphite.



##### FOLIO

Available for Grand, Supreme or COSMO inserts in black, new bronze or graphite.



##### HALO

Available exclusively for COSMO inserts in black or fog gray.

#### FINISHES

BLACK

NEW  
BRONZE

GRAPHITE

FOG  
GRAY



## ESCAPE FIREBRICK INTERIOR

Escape inserts come standard with a seamless FireBrick interior that is hand-painted by skilled artisans to stay beautiful over time.



FIREBRICK  
SEAMLESS  
INTERIOR

## GRAND, SUPREME & COSMO INTERIOR PANELS

Change the look of the fireplace insert with interior panel options. Choices range from brick panels that give the appearance of an authentic masonry fireplace, to reflective fade-resistant black glass for modern drama.



BLACK METAL  
(Standard on  
Grand and  
Supreme  
models)



TEXTURED  
BRICK  
(Optional  
upgrade Grand  
and Supreme  
models)



REFLECTIVE  
BLACK GLASS  
(Standard on  
Cosmo)

## COSMO INTERIOR OPTIONS

Customize your fire. Each distinctive interior option highlights the flames differently.



CRYSTAL  
GLASS



EBONY  
GLASS



AMBER  
GLASS



COBALT  
GLASS



BLACK GLASS  
BEADS



WHITE GLASS  
BEADS



CERAMIC  
FIBER STONES

## ESCAPE REMOTE CONTROL

**INTELLIFIRE TOUCH RC400 TOUCHSCREEN REMOTE CONTROL**  
Escape inserts come standard with the RC400 Touchscreen Remote.

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode and wall docking station.



**INTELLIFIRE TOUCH RC150 WALL SWITCH**

Features: on/off, battery strength indicator, battery backup and cold climate mode



## GRAND, SUPREME & COSMO REMOTE CONTROLS

Set the mood. Select from the RC300 or RC200 remote controls or RC100 wall switch.

**INTELLIFIRE PLUS RC300 REMOTE CONTROL**

Features: on/off, flame height adjustment, fan speed (auxiliary 1), two additional auxiliary functions, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode and wall docking station.



**INTELLIFIRE PLUS RC200 REMOTE CONTROL**

Features: on/off, flame height adjustment, fan speed, child lock, battery backup, cold climate mode and wall docking station.

**INTELLIFIRE PLUS RC100 WALL SWITCH**

Features: on/off



## TERMINATION CAPS

A termination cap finishes your gas insert with a clean, upscale look. These durable caps also protect venting components and ensure safe exhaust flow.



ROUND CAP



SQUARE CAP  
Available in black  
or copper finish

## STEP 3


### LET YOUR AUTHORIZED RETAILER HANDLE THE INSTALLATION

We take excellence seriously. Our network of authorized dealers and distributors do too. These partners are professionally trained and certified to help you get the most from your Heat & Glo experience.




# SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E X F)	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING			
ESCAPE-I35	34-5/8 [879]	35-1/8 [892]	25 [635]	25-1/2 [648]	24-3/8 [619]	24-5/8 [625]	17-7/8 [454]	18-1/8 [460]	31-3/8 x 19-7/8 [797 x 505]	20,000 - 40,000	120 CFM
ESCAPE-I30	30 [762]	30-1/2 [775]	21 [533]	21-1/2 [546]	22-3/8 [568]	22-5/8 [575]	16-3/8 [410]	16-5/8 [422]	26-11/16 x 17-7/8 [678 x 454]	18,500 - 36,000	120 CFM



MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E X F)	BTU/Hour Input NG	Conv. Blower
	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING			
GRAND-I35	34-5/8 [879]	35-1/8" (892mm) (std. surround)	23-7/16 [595]	24 [610]	24-1/16 [611]	24-3/8" (619mm) (std. surround)	15-11/16 [398]	16" (406mm) (std. surround)	31-5/8 x 15-11/16 [803 x 398]	18,500 - 35,000	120 CFM
		33-1/2" (851mm) (deep surround)				23" (584mm) (deep surround)		15-1/8" (384mm) (deep surround)			
SUPREME-I30	30-5/8 [778]	31-1/8" (791mm) (std. surround)	20-3/16 [513]	20-3/4 [527]	20-7/16 [519]	20-3/4" (527mm) (std. surround)	14-5/8 [371]	14-7/8" (378mm) (std. surround)	27-1/2 x 12-3/16 [699 x 310]	18,000 - 32,000	120 CFM
		29-1/2" (749mm) (deep surround)				19-3/8" (492mm) (deep surround)		14" (356mm) (deep surround)			
COSMO-I35	34-5/8 [879]	35-1/8" (892mm) (std. surround)	23-7/16 [595]	24 [610]	24-1/16 [611]	24-3/8" (619mm) (std. surround)	15-11/16 [398]	16" (406mm) (std. surround)	31-5/8 x 15-11/16 [803 x 398]	15,500 - 28,000	120 CFM
		33-1/2" (851mm) (deep surround)				23" (584mm) (deep surround)		15-1/8" (384mm) (deep surround)			
COSMO-I30	30-5/8 [778]	31-1/8" (791mm) (std. surround)	20-3/16 [513]	20-3/4 [527]	20-7/16 [519]	20-3/4" (527mm) (std. surround)	14-5/8 [371]	14-7/8" (378mm) (std. surround)	27-1/2 x 12-3/16 [699 x 310]	13,500 - 23,000	120 CFM
		29-1/2" (749mm) (deep surround)				19-3/8" (492mm) (deep surround)		14" (356mm) (deep surround)			



Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. NOTE: Combustible material should not be installed over the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace and/or flames.

For complete information on these models, please contact us at:

**HEAT & GLO**  
No one builds a better fire

Web: [heatnglo.com](http://heatnglo.com)  
Phone: (888) 427-3973  
E-mail: [info@heatnglo.com](mailto:info@heatnglo.com)  
[facebook.com/HeatandGlo](https://www.facebook.com/HeatandGlo)  
[twitter.com/HeatandGlo](https://twitter.com/HeatandGlo)  
[youtube.com/HeatandGlo](https://www.youtube.com/HeatandGlo)

HNG-1142U-0718

## LIMITED LIFETIME WARRANTY<sup>2</sup>

The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

<sup>2</sup>For full warranty details, go to [www.heatnglo.com](http://www.heatnglo.com).

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit [www.heatnglo.com/fireplacesafety](http://www.heatnglo.com/fireplacesafety)

# TECHNOLOGIES



## INTELLIFIRE TOUCH IGNITION SYSTEM

IntelliFire Touch is the most advanced and intuitive IntelliFire system, making operating your fireplace simple, smart and safe.



## INTELLIFIRE PLUS IGNITION SYSTEM

IntelliFire features intermittent-pilot ignition (IPI) allowing you to conserve fuel and money when the fireplace is not in use.



## DIRECT VENT TECHNOLOGY

Direct vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



## FIREBRICK TECHNOLOGY

FireBrick is a patented, energy-saving ceramic material molded into an authentic masonry design. FireBrick produces up to 25% more radiant heat than metal fireboxes— heating rooms faster and using less fuel. This increases efficiency and reduces heating costs.

# EFFICIENCY

## EnerGuide (CSA P.4.1-15)

EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

MODEL	RATING
ESCAPE-I35	72.9% (NG), 73.8% (LP)
ESCAPE-I30	70.7% (NG), 71.1% (LP)
GRAND-I35	72.2% (NG), 76.1% (LP)
SUPREME-I30	72.7% (NG), 76.1% (LP)
COSMO-I35	72.9% (NG), 76.6% (LP)
COSMO-I30	77.2% (NG), 69.2% (LP)

