


Contents

a and a second
Our Promise to You
Benefits of Hydrotherapy
SmartTub™System
Built with You in Mind
Patented Fluidix® Jets
Features Comparison
Good Cause Spas™
Easy, Clean Water Management
980 [™] Series
880 [™] Series
780™ Series
680 [™] Series
Color Palette
Genuine Parts & Accessories
Innovations
Sundance® Spas Global





It's more than a spa, it's a way of life

"The quality, design and performance of the spa is exceptional. I look forward to using it almost everyday for relaxation and sleep enhancement, as well as the hydrotherapy benefits for a lower back injury."

> - Ron R. Sundance® Optima™ 880™ Series Owner



"It is so far superior to the old spa we had which was part of our pool as it actually has jets you can control and there are four great seats to choose

- Norm E.

Sundance® Optima™ 880™ Series Owner



Once you experience it, you'll see why owners buy again and again: life is better with a Sundance® spa. Start your own #SundanceLife and join in the conversation.







Share your Sundance® story and photo with us at

www.sundancespas.com/reviews

Benefits of Hydrotherapy

By getting a break from the pace of our lives and submersing in an emotional sanctuary, you can relax, rejuvenate and rehabilitate your body, mind and soul.

Stress-Relief

Everyday stress can create muscle tension and restrict blood flow, causing headaches, sleeplessness, fatigue and soreness. And how we feel physically can affect our thoughts, moods and ability to enjoy life to the fullest. Hydrotherapy is an effective solution to free your stress.

Healing

While water therapy of the past has evolved into modern hydrotherapy of today, Sundance[®] Spas continues the tradition of using the restoring properties of water - especially those involving warm water infused with deep massage - to provide the relaxation and nourishing rejuvenation for which the human body craves and immensely benefits from.

Aromatherapy

Sundance® Spas was the first hot tub manufacturer to combine aromatherapy with hydrotherapy in an automatic fragrance system. Without lessening water quality, Sundance® SunScents™ are injected into balance energy in your body. bubbles and then released when they come to the surface, leaving you feeling renewed.

Chromatherapy

Light has a profound effect on our moods and peace of mind. Chromatherapy, also known as color therapy, uses individual colors in the spectrum to boost and

Art of Relaxation

The benefits of hydrotherapy go beyond relaxation; it is about restoring balance. And, in a Sundance® spa you will quickly feel the difference.

The secret is in the Fluidix® jets, each designed to mimic a special technique of a trained masseuse. From deeply penetrating to soothingly calm, the more Fluidix® jet variety you experience the deeper sense of relaxation you can achieve.



Download your own copy at SundanceSpas.com/art-of-relaxation



- Enjoy easy setup -- just pair your app
- Discover enhanced product knowledge and support
- Master spa care with personalized tips and how-to videos
- View energy usage estimates***
- Adjust key settings, such as energy efficiency and temperature while away
- Receive power outage notifications to reduce complications
- Alerts you and your dealer when your spa needs attention
- Stay connected with your dealer and 'Click for Service'
- Compatible with Android, iOS, Alexa, iPad and Apple Watch

Learn more at SundanceSmartTub.com









Patent pending
Requires subscription beginning in second year of ownership
Estimates are based on sensor readings and are not meant to match your utility measurements, see your local utility company for specifics to your local system SmartTub™ system uses cellular-based communication and requires cell service from our provider partner in your area. See store associate for details.

Built with You in Mind

Maximize relaxation with features that make spa ownership a breeze. Every element is designed specifically for your Sundance® spa for quality and reliability that's built in.

EcoWrap® Insulation

A more energy-efficient upgrade option for select models, ideal for harsh, winter climates.

Synthetic Base

Provides a solid foundation impervious to nature, moisture and the elements.

Quick Drain™

Quickly drain the water from your spa with an oversized drain that makes water changes easy.

Rigid Bond™

Proprietary shell lamination process makes it stronger and increases thermal retention properties.

SmartTub™ System

Stay in tune with your spa remotely, from maintenance alerts to programming filtration whenever, wherever ... 24/7.

Efficient Heater

Heating element transfers heat to the water, increasing thermal efficiency and resisting corrosion.

Intelligent Controls

Sundance® control panels do more than adjust jets and temperature; you can regulate energy-efficiency, lock the spa for safety and are easy to see at night.

Lighting

Great for both ambiance and safety, a variety of spa lighting illuminates the inside and outside of select models for nighttime spa enjoyment.

SunStrong® Cabinet

High quality, UV-resistant synthetic cabinetry is durable and low maintenance.

Tool-free Access

Easily access the drain and critical components in your spa without tools, saving time and making maintenance trouble-free.

Illuminated Grab Bars

Strategically placed grab bars on most 880™ Series models make entering and exiting the spa simple and safe for everyone in your family.

|Indicator Light

Check the status of your spa's functions with a quick glance at the exterior indicator light, which changes colors when your spa needs immediate attention.

Patented Fluidix® Jets

As you surrender to the warm, bubbly water of a Sundance® spa, you'll be whisked away by the right blend of heat, buoyancy and massage that will change the way you feel.

This care-free feeling starts with Fluidix® jets that operate without bearings that can clog or parts that wear out, combining air and water to create highly refined massage sensations. And, each jet is positioned to reach pressure points used in reflexology and acupressure so stress and strain can be a distant memory.

Even if you don't know the difference between Swedish massage and Shiatsu, you'll be enchanted by the variety of massage combinations Sundance® spas deliver. Every Fluidix® jet is assigned a distinct role, uniquely designed to simulate a specific massage action. Aironly jet streams feel like delicate fingers massaging soft tissues. Other jets act more like strong hands deeply kneading large muscles. And some even mimic the rapid, stimulating techniques of Eastern massage therapies.

Regardless of which Fluidix® jet combination you call your favorite, you can get the most from your Sundance®



Deep Tissue





WHIRLPOOL JET

Adjustable, vigorous, deep muscle-penetrating massage known for its



FLUIDIX INTELLI-JET™

Adjustable water flow and oscillating direction for a custom deep tissue



VORTEX™ JET

Rifling action elivers swirling ensation for high and low impact



Adjustable focused. and pressure.



Pressure Point



Muscle Release



FLUIDIX REFLEX™ JET

Adjustable, back and forth Swedishstyle massage motion to increase circulation and relax your body.



FLUIDIX NEX™ JET



Relaxation

SILENT AIR® INJECTOR JET



Injects a small, gentle stream of bubbles in the water that also diffuse the SunScents[™] fragrance aromatherapy system.



therapeutic massage.



FLUIDIX ST™ JET

deep-tissue jet stream djustable for intensity

FOCUS RELIEF® JET

ACCU-PRESSURE™ JET

elieve muscle tension and

Adjustable soothing bubbles for either a tissue massage or soft tissue effervescent





Adjustable to relieve neck tension and strain in small muscles and sensitive nerves.



COMPREHENSIVE MASSAGE EXPERIENCE

980™ & 880™

MAXIMUM

MASSAGE COVERAGE





VORTEX™ JET

ling action delivers swirling sensation for high and low npact therapeutic massage.



MINI VORTEX™ JET



ADJUSTABLE ACCU-PRESSURE™ JET

PULSATOR™ JET

in wrists.

Pulsing massage action to reduce discomfort of carpal tunnel syndrome

et offers more control over your therapeutic experience.

SMT™ FLUIDIX JET

Medium, spiral-action massage to ease tension-prone areas in small muscle groups and joints.



SMT™ MICRO JET

Medium, spiral actio tension-prone areas in small muscle group and joints.



ACCU-PRESSURE™ JET

Deep-tissue massage to relieve muscle tension and joint pain.



Series Features Comparison

PREMIUM



- Up to 10 patented Fluidix® jet varieties
- Stainless steel jet trim
- Specialty Silent Air® injector jets
- MicroClean® Ultra Filtration System
- Premium accents
- Integrated lighting
- Tool-free cabinetry removal
- Wide sheet waterfall
- Touch control
- Quick drain
- Synthetic base
- Exterior lighting (optional on select models)
- SmartTub™ System (Standard on 980™ models, optional on 880[™] models)
- Dynamic Flow circulation pump





ENHANCED



- Up to 6 patented Fluidix® jet varieties
- Stainless steel jet trim
- MicroClean® Filtration System
- Stylized design touches
- Enhanced lighting
- EZ access door
- Synthetic base
- Dynamic Flow circulation pump
- SmartTub[™] System (Optional)



• Standard jets

TRADITIONAL ~

- Stainless steel jet trim
- Traditional filtration
- Classic lighting
- SmartTub™ System (Optional)

680™

Good Cause SpasTM

Whether helping generations of families come together or giving back to those who give so much, supporting good causes in our communities simply feels like the perfect fit.

Please join Sundance® Spas and the Good Cause Spas[™] movement in our support of the many worthy organizations that strive to help our neighbors, heroes, and champions.





Sundance® Spas donates a spa to WISH for OUR HEROES for every 100 Sundance® spas sold at each participating dealer location in a single calendar year. Please join us in celebrating the dealers that helped contribute to this worthy cause.













SPA-LAND











OF LOGAN













Easy, Clean Water Management

Sundance® Spas filtration systems not only help to ensure clean, sparkling water, they also equal less maintenance. Through the efficient combination of highly effective filtering, water circulation and water skimming processes, a unique horizontal filter orientation and a circulation pump that filters seven times more water per minute than typical spas, you can spend less time on maintenance.

And, when you combine superior filtration with the CLEARRAY® UV-C Technology or CLEARRAY® UV-C Technology plus CLEARRAY® PRO,TECT™ Automatic Oxidizer, you can achieve the clearest, cleanest water with this complete, hands-free option.



SunPurity[™] Minerals

Conditions water with trace elements of silver to keep your hot tub water fresh when used alongside chlorine or bromine.



SunPurity[™]PLUS

Boosts system performance and provides a full system clean.



Water Chemicals

A complete line of water care products that support the proper foundation for balanced



MicroClean® Filtration



CLEARRAY® UV-C **Technology**



Water

Chemicals

SunPurity[™] PLUS



SunPurity™ Minerals



PRO TECT™ Automatic Oxidizer



50-square-foot vertical filter and CLEARRAY® UV-C Technology raises the bar on traditional filtration.

680™

MicroClean® Ultra Filtration System

MicroClean® Ultra Filtration System with horizontal icroClean® Ultra filter, SlipStream™ weir with SunPurity™ mineral cartridge fitting, Dynamic Flow™ circulation pump and CLEAR**RAY®** UV-C Technology set the standard for robust, efficient water filtration.

880TM

MicroClean® Filtration System

MicroClean® Filtration System with horizontal MicroClean® filter, SlipStream™ weir with SunPurity™ mineral cartridge fitting, Dynamic Flow™ circulation pump and CLEARRAY® UV-C Technology make it easy to keep your water clean and fresh.



Traditional Filtration System

CLEARRAY® UV-C Technology

Treats water with the power of nature-inspired UV-C technology to neutralize waterborne pathogens, resulting in clean, fresh water.

- Treats 99.9% of waterborne pathogens
- Factory-installed exclusive UV-C Technology
- Easy care and maintenance with annual bulb replacement
- Durable stainless steel and quartz components

What is UV-C Light?

- A natural part of the spectrum of electromagnetic energy generated by the
- Effectively interacts with the DNA of bacteria and viruses, destroying their ability to reproduce
- Is a natural process that adds no by-product to your water

880™ 780™ 680™

CLEARRAY® PRO, TECT™

A low output automatic oxidizer supports a handsfree approach to water care for clean, clear water

- Designed to work with CLEARRAY® UV-C technology, automatically oxidizing impurities in
- Low-output ozone has minimal off-gassing and prolongs life of equipment longer than traditional ozone systems
- This genuine Sundance® part is specifically calibrated to work with the filtration system in your
- Upgrade 980[™], 880[™] or 780[™] Series spas to include either a factory installed option or available as an upgrade for select existing spas



Founded upon consumer-favorite Sundance® spa features and laced with never-before-seen design and style, the 980™ Series will change the way you enjoy your spa.





Kingston™

Claremont[®]





Lisbon™

Odessa™





- Geometric exterior cabinetry highlighted by architectural corner lighting
- Lounge deck with SunCooler[™] cold storage areas
- Low profile for easy entry and exit for soakers of any age

EXPERIENCE

- Spacious seats highlighted by LED lighting
- Up to 10 patented Fluidix® jets varieties
- Upgraded Accu-Ssage™ therapy seat
- Specialty Silent Air® injector jets

WATER CARE

- MicroClean® Ultra Filtration System
- Slipstream[™] skimmer
- CLEARRAY® UV-C technology

FEATURES

- Glass i-Touch control for easy use day or night
- Tool-free cabinetry removal
- Robust synthetic base
- SunStrong® Extreme cover (standard)
- SmartTub™ System (standard)
- SunScents[™] aromatherapy (scents sold separately)

UPGRADES

- Factory-installed CLEARRAY® PRO₃TECT™ automatic oxidizer (optional)
- Integrated BLUEWAVE® stereo (optional)
- Winter Wrap Insulation (optional)





Interior Lighting

Spacious seats are highlighted by the even glow of LED lighting for beauty and safety



Advanced Control



Glass i-Touch Control with smart device functionality makes it even easier to use and enjoy your spa day or night






Geometric Cabinetry



Crisp, rhythmic texture of the exterior cabinetry highlighted by corner lighting combines classic beauty and modern form



Additional Seating and Convenience



for easy fill, pump-assisted drain* and an internal light* for use day or night



See why Sundance® spa owners buy again and again We didn't invent the first outdoor spa, but we've made it better. That's why we've given the 880™ Series thoughtful design and features you can't live without.



Aspen®



Optima®



Altamar®



Marin®



Maxxus™



Cameo®



Cambria™



Capri®



EXPERIENCE

- Up to 10 patented Fluidix® jet varieties
- Accu-Ssage[™] therapy seats
- Specialty Silent Air® injector jets

WATER CARE

- MicroClean® Ultra Filtration System
- Slipstream[™] skimmer
- CLEARRAY® UV-C technology
- Silent Spa[™] filtration

FEATURES

- i-Touch control with color screen
- Integrated LED lighting with external indicator light
- Premium metallic, illuminated accents
- Quick release cabinet for tool-free equipment access
- Synthetic base
- Illuminated grab bars
- Quick drain
- SunScents[™] aromatherapy (scents sold separately)

UPGRADES

- SunSide™ Cabinetry (optional)
- Factory-installed CLEARRAY® PRO $_3$ TECT[™] automatic oxidizer (optional)
- Exterior lighting (optional)
- Integrated Bluewave® stereo (optional)
- SmartTub™ System (optional)
- EcoWrap® insulation (optional)
- SunStrong® Cover and SunStrong® Extreme Cover (optional)



MicroClean® Ultra Filtration System

MicroClean® Ultra Filtration System sets the standard for robust, efficient water filtration




i-Touch Control Panel



Spas often get the most use at night, so an advanced control amplifies ease of use. With a glowing, color, touch screen control and icon-driven menus programming your spa is even easier any time of day





Illuminated Grab Bars



Safety is our priority, so we make it easy for you and your family to enter and exit the spa securely*



Silent Air® Injector Jets

An exclusive blower and air-only jets deliver a soft tissue massage and optional SunScents™ aromatherapy for a soothing experience

*On select models





Brushed Gray SunSide™ Cabinetry



Vintage Oak SunSide™ Cabinetry

Optional Sundance® Sunside™ cabinet upgrade available on most 880™ models.

Create your perfect backyard oasis

We believe the 780[™] Series should enhance your life, so we combined new technologies with good old fashioned know-how to craft intuitive, well-rounded spas that are a delight to use.

EXPERIENCE

- Up to 6 patented Fluidix® jet varieties
- SMT[™] therapy seat
- Accu-Pressure[™] therapy seat

FEATURES

- Streamlined digital control panel with illumination
- Enhanced LED lighting with external indicator light
- EZ access door
- Synthetic base

WATER CARE

- MicroClean® Filtration System
- Slipstream[™] skimmer
- CLEARRAY® UV-C technology

UPGRADES

- Factory-installed CLEAR**RAY**® PRO₃TECT[™] automatic oxidizer (optional)
- Bluewave® stereo (optional)
- SmartTub[™] System (optional)
- EcoWrap® insulation (optional)
- SunStrong® Cover and SunStrong® Extreme Cover (optional)



Chelsee®



Bristol™



Hamilton™



Montclair™



Hanover™



Dover™





MicroClean® Filtration System



MicroClean® Filtration System makes it easy to keep your water clean and fresh



Streamlined Digital **Control Panel**

Illuminated control panel makes it easier to program your spa and puts CLEARRAY® On Demand right at your fingertips

Be immersed in total relaxation The 680™ Series will make you feel good long after you leave the water.

- Standard jets
- Adjustable massage options
- Traditional filtration system
- CLEARRAY® UV-C technology
- Simplified control panel
- Bluewave® stereo (optional)
- SmartTub™ System (optional)



McKinley®





Edison®

Prado™





Denali®



Tacoma®

UPGRADES

SunStrong® Cover and SunStrong® Extreme Cover (optional)



Ramona®













Traditional Filtration System




50 square foot vertical filter raises the bar on traditional filtration



Simplified **Control Panel**

Streamlines spa functions to make it easy to focus on relaxation



Kingston™

Seats 6-7 Adults

7'8" x 8'4" x 34" (234 cm x 254 cm x 86 cm)

DRY WEIGHT 971 lbs (440 kg) 5,233 lbs (2,374 kg) TOTAL FILLED WEIGHT AVERAGE SPA VOLUME 401 US gal (1,518 liters) JET PUMPS NORTH AMERICA (60 Hz) 3x 1-Speed 2.5 hp Continuous

EXPORT (50 Hz) 3x 1-Speed 2.0 hp Continuous TOTAL JETS 56 + 12 Air Injector Jets AIR BLOWER 1.5 hp air pump MASSAGE VARIETY

WATER SYSTEM LIGHTING ELECTRICAL REQUIREMENTS

Seat accent lights, waterfall, SunCooler™, exterior and underwater

NORTH AMERICA (60 Hz) 240 VAC @ 50A or 60A EXPORT (50 Hz) 230 VAC @ 24A, 26A TITANIUM COIL HEATER 5.5 kW¹









MicroClean® Ultra Filtration System







LOUNGE /







Odessa™

Seats 5-6 Adults

7'5" x 7'5" x 34" (226 cm x 226 cm x 86.4 cm)



MASSAGE VARIETY WATER SYSTEM MicroClean® Ultra Filtration System

LIGHTING Seat accent lights, waterfall, exterior and underwater **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) 240 VAC @ 50A or 60A EXPORT (50 Hz) 230 VAC @ 24A, 26A TITANIUM COIL HEATER 5.5 kW¹













Estimated Monthly Cost w/ Winter Package \$12.38





Claremont[®]

Seats 5-6 Adults

7'8" x 8'4" x 34" (234 cm x 254 cm x 86 cm) 969 lbs (440 kg) DRY WEIGHT

5,272 lbs (2,392 kg) TOTAL FILLED WEIGHT AVERAGE SPA VOLUME 405 US gal (1,533 liters) JET PUMPS NORTH AMERICA (60 Hz) EXPORT (50 Hz) TOTAL JETS

AIR BLOWER MASSAGE VARIETY WATER SYSTEM Seat accent lights, waterfall, SunCooler™, exterior and underwater

EXPORT (50 Hz)

TITANIUM COIL HEATER

3x 1-Speed 2.5 hp Continuous 3x 1-Speed 2.0 hp Continuous 59 + 6 Air Injector Jets 1.5 hp air pump 10 MicroClean® Ultra Water Management

LIGHTING ELECTRICAL REQUIREMENTS NORTH AMERICA (60 Hz)



240 VAC @ 50A or 60A

230 VAC @ 24A, 26A

5.5 kW



\$14.91

\$13.42



¹2.7 KW on 50 Hz export spas.



Lisbon™

Seats 4-5 Adults

7'5" x 7'5" x 34" (226 cm x 226 cm x 86.4 cm)

DRY WEIGHT 819 lbs (371 kg) TOTAL FILLED WEIGHT 3,913 lbs (1,775 kg) AVERAGE SPA VOLUME 370 US gal (1,401 Liters) JET PUMPS NORTH AMERICA (60 Hz) 2x 1-Speed 2.5 hp Continuous EXPORT (50 Hz) 2x 1-Speed 2.0 hp Continuous TOTAL JETS

AIR BLOWER MASSAGE VARIETY WATER SYSTEM

LIGHTING **ELECTRICAL REQUIREMENTS** NORTH AMERICA (60 Hz)

EXPORT (50 Hz) TITANIUM COIL HEATER














*See manual for more configurations

LOUNGE /















44 + 8 Air Injector Jets 1.5 hp air pump

MicroClean® Ultra Water Management Seat accent lights, waterfall, exterior and underwater

240 VAC @ 50A or 60A 230 VAC @ 24A, 26A 5.5 kW¹

















Aspen®

Seats 7-8

7'6" x 9'2" x 41.5" (229 cm x 280 cm x 106 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME JET PUMPS

NORTH AMERICA (60 Hz) 3 TheraMax[™] 2.5 hp (5.1 bhp²) EXPORT (50 Hz) **TOTAL JETS** AIR BLOWER MASSAGE VARIETY

1,240 lbs (562 kg) 7,036 lbs (3,192 kg) 520 US gal (1,968 liters)

3 TheraMax[™] 2.0 hp (2.6 bhp²) 66 + 14 Air Injector Jets 1.5 hp air pump

\$13.68



ELECTRICAL REQUIREMENTS*

NORTH AMERICA (60 Hz) 240 VAC @ 50A or 60A EXPORT (50 Hz) 230 VAC @ 24A, 26A

TITANIUM COIL HEATER 5.5 kW



Maxxus[™]

Seats 6

7'6" x 9'2" x 41.5" (229 cm x 280 cm x 106 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME **JET PUMPS**

EXPORT (50 Hz) **TOTAL JETS** AIR BLOWER

MASSAGE VARIETY

1,117 lbs (507 kg) 6,563 lbs (2,977 kg) 523 US gal (1,979 liters)

1.5 hp air pump

Estimated Monthly Cost w/ EcoWrap®

LOUNGE ~

\$20.74

NORTH AMERICA (60 Hz) 3 TheraMax[™] 2.5 hp (5.1 bhp²) 3 TheraMax™ 2.0 hp (2.6 bhp²) 65 + 6 Air Injector Jets

Estimated Monthly Cost w/ EcoWrap® \$23.26 \$14.90



WATER SYSTEM LIGHTING

ELECTRICAL REQUIREMENTS*

NORTH AMERICA (60 Hz)

EXPORT (50 Hz)

240 VAC @ 50A or 60A 230 VAC @ 24A, 26A

Integrated

MicroClean® Ultra Filtration System

MicroClean® Ultra Filtration System

TITANIUM COIL HEATER 5.5 kW



. . .



(0)

Optima[®]

Seats 6-7

7'5" x 7'5" x 37.5" (226 cm x 226 cm x 96 cm)

DRY WEIGHT 924 lbs (419 kg) TOTAL FILLED WEIGHT 5,344 lbs (2,424 kg) AVERAGE SPA VOLUME 410 US gal (1,552 liters) JET PUMPS

EXPORT (50 Hz) **TOTAL JETS** AIR BLOWER MASSAGE VARIETY

NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 hp (5.1 bhp²) 2 TheraMax[™] 2.0 hp (2.6 bhp²) 47 + 14 Air Injector Jets 1.5 hp air pump

Estimated Monthly Cost w/ EcoWrap® \$20.02 \$12.53



WATER SYSTEM LIGHTING

Integrated **ELECTRICAL REQUIREMENTS***

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230 VAC @ 17A, 15A

TITANIUM COIL HEATER 5.5 kW1



Chelsee®

Seats 6-7

7'5" x 7'5" x 36" (226 cm x 226 cm x 92 cm)

DRY WEIGHT 873 lbs (396 kg) TOTAL FILLED WEIGHT 5,210 lbs (2,363 kg) AVERAGE SPA VOLUME 400 US gal (1,514 liters) TOTAL JETS MASSAGE VARIETY



Estimated Monthly Cost w/ EcoWrap® \$16.91 \$12.96



WATER SYSTEM MicroClean® Filtration System LIGHTING Enhanced

> JET PUMPS NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 cont hp (5.1 bhp²) EXPORT (50 Hz) 2 TheraMax[™] 2.0 cont hp (2.6 bhp²) **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230-240 VAC @ 20A, 30A or 40A

Enhanced

Traditional Filtration

Traditional Filtration

2-speed 2.5 hp (4.5 bhp²) 1-speed 2.5 hp (4.8 bhp²)

Classic

STAINLESS STEEL HEATER 5.5 kW¹



Hanover™ Seats 6

7' x 7' x 36" (213 cm x 213 cm x 91 cm)

DRY WEIGHT 740 lbs (336 kg) TOTAL FILLED WEIGHT 4,368 lbs (1,981 kg) AVERAGE SPA VOLUME 355 US gal (1,344 liters) TOTAL JETS MASSAGE VARIETY



Estimated Monthly Cost w/ EcoWrap® \$16.98 \$12.38

JET PUMPS NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 cont hp (4.8 bhp²) EXPORT (50 Hz) 2 TheraMax[™] 2.0 cont hp (3.0 bhp²) **ELECTRICAL REQUIREMENTS***

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230-240 VAC @ 20A, 30A or 40A

STAINLESS STEEL HEATER 5.5 kW



McKinley[®] Seats 6-7

7'5" x 7'5" x 36" (226 cm x 226 cm x 92 cm)

DRY WEIGHT 778 lbs (353 kg) TOTAL FILLED WEIGHT 5,115 lbs (2,320 kg) AVERAGE SPA VOLUME 410 US gal (1,552 liters)

TOTAL JETS

Estimated Monthly Cost \$19.87



JET PUMPS NORTH AMERICA (60 Hz)

WATER SYSTEM

WATER SYSTEM

LIGHTING

JET PUMPS

LIGHTING

WATER SYSTEM

LIGHTING

EXPORT (50 Hz) 2-speed 2.0 hp (2.6 bhp²) 1-speed 2.0 hp (3.0 bhp²) **ELECTRICAL REQUIREMENTS***

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A

EXPORT (50 Hz) 230 VAC @ 20A, 30A or 40A STAINLESS STEEL HEATER 5.5 kW1



Edison® Seats 6-7

7' x 7' x 36" (214 cm x 214 cm x 92 cm)

758 lbs (344 kg) DRY WEIGHT TOTAL FILLED WEIGHT 4,511 lbs (2,046 kg) AVERAGE SPA VOLUME 350 US gal (1,325 liters) TOTAL JETS

\$15.72


Estimated Monthly Cost

NORTH AMERICA (60 Hz) 2-speed 2.5 hp (4.5 bhp²) 1-speed 2.5 hp (4.8 bhp²) EXPORT (50 Hz) 2-speed 2.0 hp (2.6 bhp²) 1-speed 2.0 hp (3.0 bhp²) **ELECTRICAL REQUIREMENTS*** NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A

Classic

230 VAC @ 20A, 30A or 40A EXPORT (50 Hz)

STAINLESS STEEL HEATER 5.5 kW¹



² Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed. *See manual for additional configurations.

12.7 KW on 50 Hz export spas.

²Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed. *See manual for additional configurations.

38

Cameo®

LOUNGE

Seats 5-6

\$16.92

7'5" x 7'5" x 37.5" (226 cm x 226 cm x 96 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME JET PUMPS

NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 hp (5.1 bhp²) EXPORT (50 Hz) 2 TheraMax[™] 2.0 hp (2.6 bhp²) **TOTAL JETS** 54 + 6 Air Injector Jets AIR BLOWER 1.5 hp air pump MASSAGE VARIETY

Estimated Monthly Cost w/ EcoWrap®

LOUNGE

826 lbs (375 kg)

4,996 lbs (2,266 kg)



\$13.10





ELECTRICAL REQUIREMENTS*

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230 VAC @ 17A, 15A

TITANIUM COIL HEATER 5.5 kW1





Seats 5-6

6'9" x 7'2" x 37.5" (206 cm x 219 cm x 96 cm)

DRY WEIGHT 875 lbs (397 kg) TOTAL FILLED WEIGHT 4,878 lbs (2,213 kg) AVERAGE SPA VOLUME 390 US gal (1,476 liters) JET PUMPS

NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 hp (5.1 bhp²) EXPORT (50 Hz) 2 TheraMax[™] 2.0 hp (2.6 bhp²) TOTAL JETS 41 + 8 Air Injector Jets AIR BLOWER 1.5 hp air pump

MASSAGE VARIETY

Estimated Monthly Cost w/ EcoWrap® \$18.22 \$11.74

LOUNGE /

LOUNGE /

WATER SYSTEM

MicroClean® Ultra Filtration System

LIGHTING Integrated

ELECTRICAL REQUIREMENTS

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230 VAC @ 17A, 15A

TITANIUM COIL HEATER 5.5 kW¹



12.7 KW on 50 Hz export spas.

Hamilton™

Seats 5-6

7'5" x 7'5" x 36" (226 cm x 226 cm x 92 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME **JET PUMPS**

393 US gal (1,488 liters) NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 cont hp (5.1 bhp²)

EXPORT (50 Hz) TOTAL JETS MASSAGE VARIETY 2 TheraMAx™ 2.0 cont hp (2.6 bhp²)

Estimated Monthly Cost w/ EcoWrap® \$17.66 \$11.88



WATER SYSTEM MicroClean® Filtration System LIGHTING Enhanced

ELECTRICAL REQUIREMENTS*

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230-240 VAC @ 20A, 30A or 40A 5.5 kW1

STAINLESS STEEL HEATER



Bristol™

Seats 5

7' x 7' x 36" (213 cm x 213 cm x 91 cm)

DRY WEIGHT 745 lbs (338 kg) TOTAL FILLED WEIGHT 4,331 lbs (1,965 kg) AVERAGE SPA VOLUME 350 US gal (1,325 liters)

JET PUMPS NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 cont hp (5.1 bhp²) 2 TheraMax[™] 2.0 cont hp (2.6 bhp²) EXPORT (50 Hz)

TOTAL JETS MASSAGE VARIETY



Estimated Monthly Cost \$16.91

WATER SYSTEM MicroClean® Filtration System

LIGHTING Enhanced **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A or 60A EXPORT (50 Hz) 230-240 VAC @ 20A, 30A or 40A

STAINLESS STEEL HEATER 5.5 kW1



²Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed. *See manual for additional configurations.



Ramona® LOUNGE /

Seats 5-6 7'5" x 7'5" x 36" (226 cm x 226 cm x 92 cm)

> DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME 410 US Gal (1,552 Liters) JET PUMPS

774 lbs (351 kg) 5,111 lbs (2,318 kg)

NORTH AMERICA (60 Hz) 2-speed 2.5hp (4.5 bhp²) 1-speed 2.5hp (4.8 bhp²) 2-speed 2.0hp (2.6 bhp²) EXPORT (50 Hz) 1-speed 2.0hp (3.0 bhp²)

TOTAL JETS

Estimated Monthly Cost \$18.94



EXPORT (50 Hz)

WATER SYSTEM Traditional Filtration LIGHTING Classic

ELECTRICAL REQUIREMENTS* NORTH AMERICA (60 Hz)

240 VAC @ 40A, 50A or 60A 230 VAC @ 20A, 30A or 40A

STAINLESS STEEL HEATER 5.5 kW1





Peyton[®] Seats 6

7' x 7' x 36" (214 cm x 214 cm x 92 cm)

DRY WEIGHT 846 lbs (384 kg) TOTAL FILLED WEIGHT 4,682 lbs (2,124 kg) AVERAGE SPA VOLUME 340 US gal (1,287 liters) JET PUMPS

NORTH AMERICA (60 Hz) 2-speed 2.5hp (4.5 bhp²) 1-speed 2.5hp (4.8 bhp²) 2-speed 2.0hp (2.6 bhp²) EXPORT (50 Hz) 1-speed 2.0hp (3.0 bhp²)

TOTAL JETS

Estimated Monthly Cost \$18.14



WATER SYSTEM

LIGHTING Classic

ELECTRICAL REQUIREMENTS

NORTH AMERICA (60 Hz) 240 VAC @ 40A, 50A, or 60A 230 VAC @ 20A, 30A, or 40A EXPORT (50 Hz)

STAINLESS STEEL HEATER 5.5 kW¹

¹2.7 KW on 50 Hz export spas.

² Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed. *See manual for additional configurations.

w/ EcoWrap®

\$13.18



Traditional Filtration

Cambria™

Seats 4-5 adults

6'4" x 7'7" x 34" (193 cm x 231 cm x 86 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME TOTAL JETS

772 lbs (364 kg) 4,108 lbs (1,863 kg) 400 US gal (1,514 liters) 46 + 6 Air Injector Jets

MASSAGE VARIETY

Estimated Monthly Cost w/ EcoWrap® \$16.13 \$12.38

LOUNGE /

WATER SYSTEM

LIGHTING

AIR BLOWER

EXPORT (50 Hz)

EXPORT (50 Hz)

TITANIUM COIL HEATER

JET PUMPS





MicroClean® Ultra Filtration System Integrated 1.5 hp air pump

NORTH AMERICA (60 Hz) 2 TheraMax™ 2.5 hp (5.1 bhp²) 2 TheraMax[™] 2.0 hp (2.6 bhp²) **ELECTRICAL REQUIREMENTS***

NORTH AMERICA (60 Hz) 240 VAC @ 40A, or 50A 230 VAC @ 10A, 15A 5.5 kW1



Marin Seats 4-5 Adults

6'4" x 7'7" x 34" (193 cm x 231 cm x 86 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME **TOTAL JETS** MASSAGE VARIETY

803 lbs (364 kg) 4,222 lbs (1,915 kg) 320 US gal (1,211 liters) 45 + 4 Air Injector Jets

Estimated Monthly Cost w/ EcoWrap® \$15.26 \$11.95



AIR BLOWER JET PUMPS NORTH AMERICA (60 Hz) EXPORT (50 Hz)

ELECTRICAL REQUIREMENTS* NORTH AMERICA (60 Hz)

EXPORT (50 Hz) TITANIUM COIL HEATER



MicroClean® Ultra Filtration System Integrated 1.5 hp air pump

2 TheraMax[™] 2.5 hp (5.1 bhp²) 2 TheraMax[™] 2.0 hp (2.6 bhp²)

240 VAC @ 40A, or 50A 230 VAC @ 10A, 15A 5.5 kW1



Montclair™ Seats 4-5 Adults

6'3" x 7'7" x 33.5" (191 cm x 231 cm x 85 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME TOTAL JETS 30

790 lbs (358 kg) 4,251 lbs (1,928 kg) 310 US gal (1,173 liters)



Seats 4-5 Adults

 $\mathsf{Prado}^{\scriptscriptstyle\mathsf{TM}}$

Estimated Monthly Cost w/ EcoWrap® \$8.71 \$14.61



WATER SYSTEM MicroClean® Filtration System LIGHTING Enhanced

JET PUMPS NORTH AMERICA (60 Hz) 2 TheraMax[™] 2.5 cont hp (5.1 bhp²) EXPORT (50 Hz)

EXPORT (50 Hz)

2 TheraMax[™] 2.0 cont hp (2.6 bhp²) **ELECTRICAL REQUIREMENTS*** NORTH AMERICA (60 Hz)

240 VAC @ 40A, 50A or 60A 230-240 VAC @ 20A, 30A or 40A STAINLESS STEEL HEATER 5.5 kW1







6'4" x 7' x 34.5" (193 cm x 213 cm x 87 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME **TOTAL JETS**

4,219 lbs (1,914 kg) 354 US gal (1,340 liters)

562 lbs (255 kg)



Estimated Monthly Cost \$14.26





WATER SYSTEM Traditional Filtration LIGHTING **JET PUMPS**

NORTH AMERICA (60 Hz) 1 TheraFlo[™] 1.5 cont hp (1 @ 2 spd, 2.5 bhp²) 1 TheraFlo[™] 2.0 cont hp (2 spd 3.0 bhp²) EXPORT (50 Hz) **ELECTRICAL REQUIREMENTS***

NORTH AMERICA (60 Hz) EXPORT (50 Hz) STAINLESS STEEL HEATER 1.0 kW¹ (120V) or 4.0 kW (240V)

120 VAC @ 15A or 240 VAC @ 30A or 40A 230 VAC @ 20A or 30A



Capri®

Seats 2-3 adults

5'9" x 6'10" x 30.5" (176 cm x 209 cm x 78 cm)

DRY WEIGHT TOTAL FILLED WEIGHT AVERAGE SPA VOLUME TOTAL JETS MASSAGE VARIETY

635 lbs (288 kg) 3,262 lbs (1,480 kg) 230 US gal (871 liters) 31 + 8 Air Injector Jets



Estimated Monthly Cost w/ EcoWrap® \$14.47 \$10.66



LIGHTING

LIGHTING

AIR BLOWER





MicroClean® Ultra Filtration System Integrated 1.5 hp air pump

JET PUMPS NORTH AMERICA (60 Hz) 1 TheraMax[™] 2.5 hp (5.1 bhp²) 1 TheraMax[™] 2.0 hp (2.6 bhp²) EXPORT (50 Hz) **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) 240 VAC @ 40A, or 50A EXPORT (50 Hz) TITANIUM COIL HEATER 5.5 kW¹

230 VAC @ 10A, 15A



Dover™

Seats 2-3 Adults

5'9" x 6'10" x 30.5" (176 cm x 209 cm x 78 cm)

DRY WEIGHT 620 lbs (281 kg) TOTAL FILLED WEIGHT 3,247 lbs (1,473 kg) 230 US gal (871 liters) AVERAGE SPA VOLUME TOTAL JETS 23 MASSAGE VARIETY



Estimated Monthly Cost w/ EcoWrap® \$12.76 \$9.00





JET PUMPS NORTH AMERICA (60 Hz) 1 TheraMax[™] 1.5 cont hp (2 spd, 4.8 bhp²) EXPORT (50 Hz) **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) 120 VAC @ 15A or 240 VAC @ 30A, or 40A 230 VAC @ 20A, or 30A EXPORT (50 Hz)

STAINLESS STEEL HEATER 1.0 kW¹ (120V) or 4.0 kW (240V)



Denali®

Seats 4 Adults 78.5" dia. x 36" (200 cm dia. x 92 cm)

DRY WEIGHT

TOTAL FILLED WEIGHT AVERAGE SPA VOLUME

TOTAL JETS

Tacoma® Seats 2-3 Adults

DRY WEIGHT

TOTAL JETS

5'8" x 5'8" x 31" (173 cm x 173 cm x 79 cm)

TOTAL FILLED WEIGHT

AVERAGE SPA VOLUME

Estimated Monthly Cost \$11.59

424 lbs (192 kg)

2,009 lbs (911 kg)

Estimated Monthly Cost

\$9.58

145 US gal (549 liters)

560 lbs (254 kg)

3,062 lbs (1,389 kg)

240 US gal (908 liters)



LIGHTING JET PUMPS

WATER SYSTEM


EXPORT (50 Hz) **ELECTRICAL REQUIREMENTS**

NORTH AMERICA (60 Hz) EXPORT (50 Hz) 230 VAC @ 20A or 30A STAINLESS STEEL HEATER 1.0 kW¹ (120V) or 4.0 kW (240V)









Standard

120 VAC @ 15A or 240 VAC @ 30A or 40A

1 TheraMax[™] 2.0 cont hp (2 spd 3.0 bhp²)







LIGHTING JET PUMPS NORTH AMERICA (60 Hz)

EXPORT (50 Hz)

WATER SYSTEM

ELECTRICAL REQUIREMENTS NORTH AMERICA (60 Hz) 120 VAC @ 15A or 240 VAC @ 30A or 40A

EXPORT (50 Hz)

2-speed 1.5 hp (2.5 bhp²) 2-speed 2.0 hp (3.0 bhp²)


230 VAC @ 20A or 30A

Standard

STAINLESS STEEL HEATER 1.0 kW¹ (120V) or 4.0 kW (240V)



²Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed. *See manual for additional configurations.



²Brake horsepower (bhp) is a maximum value measured by the motor manufacturer with no pump installed.

*See manual for additional configurations.

Color Palette

Whether you're charmed by soothing shades or bold hues, selecting the perfect color combination starts with a pleasing palette that blends seamlessly with your backyard décor.

Designer's Corner

We had our world class designers pick some of their favorite pairings for your inspiration.







Midnight Mesa

Step 1

Select your shell color



Step 2 Select your cabinet color



Step 3 Select your cover type and color



Genuine Parts & Accessories



Engineered specifically to optimize your experience, Sundance® Genuine Parts and Accessories prolong the enjoyment of your spa, letting you focus on the way you and your family feel when you use your Sundance® spa.



Pillows

Created to purposefully pose the body in a relaxing position to maximize the benefits of hydrotherapy, Sundance® Spas ComforTone[™] headrests and replacement pillow sets are an easy way to quickly update your



Chemicals and Water Care Items

Sundance® Spas, the trusted leader in spa technology, offers a complete line of genuine water care products that are backed by the quality, innovation and service that you expect from our brand.



Steps

Built to make it easy to enter and exit your spa, our durable steps are crafted with weather-resistant synthetic wood materials that coordinate with cabinetry color options and resists fading, rotting, and cracks.



Sundance® Genuine Spa

and premium SunStrong® spa covers retain heat and help keep water cleaner while cover lifters make using your spa cover easy. Crafted specifically for your Sundance[®] spa, each marinegrade cover ensures a tight fit while adding a touch of style in palettes that coordinate with your shell and skirting.

Feature

Foam Density

Cover Handles

SUNDANCE® SPAS SUNSTRONG® EXTREME COVERS 3

Premium outdoor covers. Designed for cold harsh climates.



- Dense foam supports heavy snow loads
- Angled to promote run-off
- Water and stain resistant to provide a simple wipe clean surface
- Superior UV resistance properties

2 lbs.

SUNSTRONG® outdoor all-weather fabric



6 Exterior + 2 Interior

Double stitched outdoor thread made from strong UV resistant fibers

SUNDANCE® SPAS **SUNSTRONG®** COVERS

*25% lighter for easier handling and an added premium touch to your outdoor décor.



- 25% lighter*
- Water resistant
- Superior UV resistance properties

1.5 lbs.

4 in - 2.5 in

SUNSTRONG® outdoor all-weather fabric

6 Exterior + 2 Interior



5 in - 3 in

1.5 lbs.

Marine grade vinyl

STANDARD

VINYL

COVERS

your hot tub.

• Basic spa cover

Standard covers help maintain

heat and keep debris out of

• Durable vinyl construction



6 Exterior + 2 Interior

Double stitched outdoor thread made from strong UV resistant fibers

Covers available with new hot tub purchase or as a replacement cover.

Double stitched outdoor thread

made from strong UV resistant fibers

*25% lighter than same sized vinyl cover

Innovations

★ Industry Firsts by Sundance® Spas

2001 2002009201 2012 2013014015 2016 2010182019 1992,993,996,995,995,995,998

Entel

46

Sundance® Spas Global

Sundance® Spas can be found in more than 750 retail locations in 75 countries worldwide.

Algeria Finland Argentina France Australia French Polynesia Austria Germany Belarus Greece Belgium The Grenadines Bosnia/Herzegovina Hong Kong Bulgaria Hungary Canada Iceland Canary Islands India Chile Indonesia China Ireland Costa Rica Israel Croatia Italy Cyprus Japan Czech Republic Kenya Denmark Latvia Egypt Liechtenstein Lithuania Estonia

Luxembourg Malaysia Maldives Malta Mexico Montenegro Morocco Netherlands Netherlands Antilles New Zealand Nigeria Norway Panama Philippines Poland Portugal Puerto Rico Romania Russia

Singapore Slovakia Slovenia Spain South Korea Sri Lanka St. Vincent Sweden Switzerland Taiwan Turkey Thailand Ukraine United Kingdom **United States** Uruguay Vietnam

